

## 15U Wall-Mount Server Rack - 12 - 20 in. Depth

Product ID: RK15WALLOA



This open-frame wall-mount server rack provides 15U of storage, helping you to save space and stay organized. The equipment rack features an adjustable depth and can hold a total of up to 198 lb. (90 kg).

### Easy, hassle-free installation

With adjustable depth to as low as 12 in. (30.4 cm) this network rack is perfect for smaller spaces. It's easy to assemble and features wall-mounting holes that are spaced 12 and 16 in. apart, making it suitable for mounting on almost any wall, based on North American wall-frame stud-spacing standards. The wall-mount rack comes in a flat-pack, which makes it easy to transport and saves you money on shipping.

### Accommodate larger devices

The open-frame rack adjusts from 12 to 20 in. (30.4 to 50.8 cm) to accommodate larger data, network, and telecommunication devices. The above-average depth also gives you the option to mount shelves and other accessories.

## **Free up space**

When space is limited you can mount the open-frame rack on a server room wall, office, or above a doorway, to expand your workspace and ensure your equipment is easy to access.

## **Keep your equipment cool and accessible**

The rack's open frame design ensures passive cooling for your rack-mounted equipment. Additionally, the open frame provides easy access to your equipment and makes it easier to configure mounted devices, which saves you time.

The RK15WALLOA is backed by a StarTech.com 5-year warranty and free lifetime technical support.

### **Certifications, Reports and Compatibility**



### **Applications**

- Perfect for installing network switches out of the way and high up on a wall in a branch office, warehouse, or superstore location
- Mount audio/video broadcast or distribution components
- Ideal for small and medium businesses requiring small rack solutions dispersed throughout the organization

### **Features**

- Accommodate larger devices with adjustable frame
- Free up space by mounting your equipment on the wall
- Easy installation with mounting holes spaced 12 and 16 in. apart to match standard wall studs
- Comes in a flat-pack making it easy to transport
- Open frame provides passive cooling for equipment

<b>Hardware</b>	Warranty	5 Years
	Additional Required Tools	13 mm socket wrench
	Adjustable Mounting Rails	Yes
	Ladder Type	L-Shape
	Number and Type of Included Cage Nuts	60 - M6
	U Height	15U
<b>Performance</b>	Weight Capacity (Stationary)	90 kg [198.9 lb]
<b>Physical Characteristics</b>	Color	Black
	Enclosure Type	Heavy Duty Steel
	External Depth	78 cm [30.7 in]
	External Height	78 cm [30.7 in]
	External Width	44.8 cm [17.6 in]
	Internal Depth	30 cm [11.8 in]
	Internal Height	68 cm [26.8 in]
	Internal Width	45 cm [17.7 in]
	Maximum Mounting Depth	50.8 cm [20 in]
	Minimum Mounting Depth	30.5 cm [12 in]
	Product Height	78 cm [30.7 in]
	Product Length	78 cm [30.7 in]
	Product Weight	15.2 kg [33.5 lb]
	Product Width	44.8 cm [17.6 in]
<b>Packaging Information</b>	Shipping (Package) Weight	17.8 kg [39.3 lb]
<b>What's in the Box</b>	Included in Package	2 - vertical rails
		2 - front horizontal brackets
		2 - rear horizontal brackets
		60 - M6 cage nuts
		60 - M6 screws
		60 - plastic washers
		16 - assembly screws
24 - flat washers		

24 - bolts

1 - instruction manual

---

Cable Management	No
Fan(s)	No
Frame Type	Open Frame
Industry Standards	EIA-310-D
Mounting Holes	Square
Rack Type	2-Post
Style	Wall-Mount
U Markings	Yes
Wallmountable	Yes

---

Product appearance and specifications are subject to change without notice.