

## 10 Gigabit Fiber SFP+ Transceiver Module - HP J9151A Compatible - SM LC with DDM - 10 km (6.2 mi)

StarTech ID: J9151AST



This HP® compatible 10 Gigabit fiber SFP+ is engineered by StarTech.com to deliver what you want most in your network connections: reliability. Built to exacting specifications and fully tested to ensure maximum performance, you can install this high-quality fiber transceiver module into HP networking devices that support the J9151A transceiver module, as well as other major brands of networking equipment.

This 10GBase-LR SFP+ delivers 10 Gigabit connectivity over single-mode fiber cable with a range of up to 10 km (6.2 mi.). It provides a dependable and cost-effective way to add, replace or upgrade the ports on your networking equipment, and it's backed by a lifetime warranty.

### Built for reliable network performance

This 10 GbE SFP+ is manufactured by StarTech.com to meet or exceed OEM specifications and comply with the industry's MSA (Multi-Source Agreement) standards. Committed to the highest standards of quality, StarTech.com provides an extensive range of networking products including copper and fiber network cards, fiber media converters, Ethernet switches and wireless products.

### Fully compatible with HP and other major brands

This 10 Gigabit single-mode SFP+ is engineered to the highest quality standards and is 100% HP compatible, equivalent to the HP J9151A SFP+ transceiver. The StarTech.com SFP+ transceiver module is configured and fully tested to ensure it works seamlessly with HP or other major brands of networking equipment.

You can be assured that the use of StarTech.com SFP products should not affect the warranty protection of your networking equipment.

### Convenient and scalable

Delivering both convenience and scalability, this fiber SFP+ transceiver is fully hot-pluggable, which enables you

to install it without interrupting network traffic or having to reboot your equipment. It provides a versatile and cost-effective solution that's compatible with a wide range of 10 Gigabit networking devices.

Ideal for use in HP switches, routers and other networking equipment, the SFP+ optical transceiver provides reliable performance, allowing you to expand your network to remote segments cost-effectively. The SM fiber transceiver module supports Digital Diagnostics Monitoring (DDM), a maximum distance of up to 10 km (6.2 mi.), and maximum data rates of up to 10Gbps.

You can count on J9151AST for reliable performance, backed by a lifetime warranty and free lifetime technical support.

### **Applications**

- Replace defective or damaged SFPs in MSA compliant or HP equipment
- Ideal for deployment in network devices with multiple SFP slots
- Expand your network to remote segments

### **Features**

- Delivers reliable 10 Gigabit Ethernet connections for 10GBase-LR compliant networks
- 100% HP compatible, equivalent to J9151A
- Backed by lifetime warranty and free lifetime technical support
- Meets or exceeds OEM specifications and MSA (Multi-Source Agreement) industry standards
- Supports Digital Diagnostics Monitoring (DDM)
- 1310 nm optical wavelength
- Single-mode with maximum distance of up to 10 km (6.2 mi.) and LC fiber connector
- Maximum data rates up to 10Gbps
- Hot-pluggable

**Technical Specifications**

Warranty	Lifetime
Industry Standards	IEEE 802.3ae 10 Gbit/s
DDM	Yes
Fiber Operating Mode	Full-Duplex
Fiber Type	Single Mode
Max Transfer Distance	10 km (6.2 mi)
Maximum Data Transfer Rate	10 Gbps
Wavelength	1310nm
Local Unit Connectors	1 - Fiber Optic LC Duplex Female
<b>Note</b>	For use in 10 Gigabit fiber networking equipment and media converters
System and Cable Requirements	MSA or HP compliant SFP port
Humidity	30~75% RH
Operating Temperature	0°C to 70°C (32°F to 158°F)
Storage Temperature	-40°C to 85°C (-40°F to 185°F)
Color	Silver
Enclosure Type	Aluminum
Product Height	0.5 in [13 mm]
Product Length	2.2 in [57 mm]
Product Weight	0 lb [0 kg]
Product Width	0.6 in [14 mm]
Shipping (Package) Weight	1.8 oz [52 g]
Included in Package	1 - SFP+ transceiver

Certifications, Reports and Compatibility

 RoHS Compliant  
Available

