

# 4 Port Portable SuperSpeed USB 3.0 Hub with Built-in Cable

StarTech ID: ST4300PBU3



The ST4300PBU3 4 Port Portable SuperSpeed USB 3.0 Hub with Built-in Cable turns a single USB 3.0 port into four so you can connect more peripherals. The integrated cable avoids the need to carry an extra cable, plus the hub is USB-powered for easy transport when you're on the go.

Great for adding extra ports to your Ultrabook™, tablet or Macbook®, this portable usb hub offers a block-style design with ports across top of the hub so devices like USB keys or wireless keyboard/mouse receivers sit upright on the desk. Or, the hub can be laid on its side for easy cable connections to devices like external hard drives or printers.

The four port USB 3 hub supports USB 3.0 data rates (5 Gbps - up to 10x more than USB 2.0) and is backward compatible with USB 2.0 and 1.1 devices, for simultaneous connection to new and legacy devices.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

### **Applications**

- Notebook / Ultrabook™ users with limited USB 3.0 ports and multiple USB 3.0 devices
- Make hard to access USB ports more accessible, by being able to position the hub anywhere the cable will reach
- Separate tightly packed USB ports, to better accommodate larger USB plugs or prevent overcrowding



#### **Features**

- 4 SuperSpeed USB 3.0 compliant ports, with data transfer rates up to 5 Gbps
- Backward compatible with USB 2.0 and USB 1.0/1.1 specifications and devices
- Built-in connection cable
- Small footprint
- Plug-and-Play and hot-swap compatible

## **Technical Specifications**

Warranty 2 Years
Bus Type USB 3.0
Chipset ID VIA - VL812
Interface USB 3.0

Ports 4

External Ports 1 - USB 3.0 A (9 pin; SuperSpeed) Male External Ports 4 - USB 3.0 A (9 pin; SuperSpeed) Female

Maximum Data Transfer Rate 5 Gbps

Type and Rate USB 3.0 - 5 Gbit/s

OS Compatibility Windows® 8 (32/64bit), 7 (32/64), Vista(32/64), XP(32/64), 2000

Windows® Server 2008 R2, 2003(32/64)

Mac OS 10.4 - 10.8

Cable Length 254 mm [10 in]

Color Black Enclosure Type Plastic

Product Height 22 mm [0.9 in]
Product Length 137 mm [5.4 in]
Product Weight 80 g [2.8 oz]
Product Width 30 mm [1.2 in]
LED Indicators 1 - Power
Power Adapter Included USB Powered
Humidity 20~80% RH

Operating Temperature -5°C to 45°C (23°F to 113°F)
Storage Temperature -5°C to 45°C (23°F to 113°F)
-10°C to 75°C (14°F to 167°F)

System and Cable Requirements Available USB port

Shipping (Package) Weight 135 g [4.8 oz] Included in Package 1 - USB 3.0 Hub

Included in Package 1 - Instruction Manual





## Certifications, Reports and Compatibility







